

## Acknowledgement

We would like to thank Tim Inskipp for valuable comments on the manuscript. Andrew T. Smith from Arizona State University and Robert C. Dowler from Angelo State University helped identify the pika.

## References

Baker, E. C. Stuart. 1926. Untitled ["Mr. E.C. Stuart Baker sent descriptions of the following four new races of Oriental Owls..."]. *Bulletin of the British Ornithologists' Club*. XLVII: (cccix) 58–60.

Baker, E. C. S., 1927. The fauna of British India, including Ceylon and Burma. Birds. 2nd ed. London: Taylor and Francis. Vol. IV of 8 vols. Pp. i–xxiv, 1–471.

Ganguli-Lachungpa, Usha, Rahmani, A. R., & Islam, M. Z-u., 2011. "Eleven priority areas for conservation: Important birds areas of Sikkim." In *Biodiversity of Sikkim*

– exploring and conserving a global hotspot, by M. L. Arrawatia and S. Tambe, 281–302. Information and Public Relations Department Government of Sikkim. URL: [http://sikkimforest.gov.in/Reports%20and%20Publications/Biodiversity-of-Sikkim/15%20Birds%20Usha\\_281-300%20web.pdf](http://sikkimforest.gov.in/Reports%20and%20Publications/Biodiversity-of-Sikkim/15%20Birds%20Usha_281-300%20web.pdf). [Accessed on 28 June 2017]

Grimmett, R., Inskipp, C., & Inskipp, T., 2011. *Birds of the Indian Subcontinent*. 2nd ed. London: Oxford University Press & Christopher Helm. Pp. 1–528.

König, C., & Weick, F., 2008. *Owls of the world*. 2nd ed. London: Christopher Helm. Pp. 1–528.

Rasmussen, P. C., & Anderton, J. C., 2012. *Birds of South Asia: the Ripley guide*. 2nd ed. Washington, D.C. and Barcelona: Smithsonian Institution and Lynx Edicions. 2 vols. Pp. 1–378; 1–683.

Wangdi, T., 2015. Four new birds discovered in Bhutan. Website URL: <http://www.kuenselonline.com/four-new-birds-discovered-in-bhutan/>. [Accessed on 11 May 2017]

# Rustic Bunting *Schoeniclus rusticus* from Bhutan

Markus Lilje

Lilje, M., 2017. Rustic Bunting *Schoeniclus rusticus* from Bhutan. *Indian BIRDS* 13 (6): 161.

Markus Lilje, Rockjumper Birding Tours, P O Box 13972 Cascades 3202, South Africa. E-mail: [markuslilje@gmail.com](mailto:markuslilje@gmail.com)

Manuscript received on 17 September 2017.



219. Rustic Bunting showing its tuft.

The Rustic Bunting *Schoeniclus rusticus* is a Palearctic bunting with a large breeding range from Fennoscandia to eastern Siberia. It winters further south in central- and eastern-Asia (Copete *et al.* 2017). In the Indian Subcontinent it has been treated as a vagrant to Nepal (Grimmett *et al.* 2011), or as 'hypothetical' to South Asia (Rasmussen & Anderton 2012). Recently, it has been assessed as definitive for the subcontinent based on two sight records from Nepal (Praveen *et al.* 2017). It is not included in the 'India Checklist' (Praveen *et al.* 2016) though it is listed from north-western India (Copete *et al.* 2017) without further references. This note describes a 2014 photographic report of the Rustic Bunting from Bhutan.

While leading a birding trip to Bhutan in March–April 2014, we spent the last few days of birding in Paro Valley. On 09 April 2017, we climbed out of the valley and began our memorable climb up Chele La Pass, where the road tops out at 3988 m. This pass is undoubtedly the best place to find the resplendent Himalayan Monal *Lophophorus impejanus*, of which we got eight near the top, apart from 14 Blood Pheasants *Ithaginis cruentus*, and 11 Kalij Pheasants *Lophura leucomelanos*. After a full day of birding, we returned to the hotel at Paro (27.40°N, 89.40°E; c. 2270 m) where we saw and photographed a male Rustic Bunting, which was in its breeding plumage [218, 219]. Identification was straightforward: it was a 'tufted' bunting with black forehead, crown, and ear coverts, with a small white spot behind the eye and a prominent white supercilium. The throat and malar area were white, with a thin dark brown stripe separating the throat from the malar region. This is a facial pattern not present on any other bunting: Tristram's Bunting *S. tristrami* does not have a tuft and has a black throat, while Little Bunting *S. pusillus* does not show such a strong white facial pattern.

This is the first record of the Rustic Bunting for Bhutan (Spierenburg 2005), and the first photographic record for the Indian Subcontinent (Praveen *et al.* 2017b).



218. Rustic Bunting in Bhutan showing clear facial pattern.

Pics: Markus Lilje

## References

Copete, J. L., Garcia, E. F. J., & Sharpe, C. J., 2017. Rustic Bunting (*Emberiza rustica*). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D. A. & de Juana, E. (eds.). *Handbook of the Birds of the World Alive*. Lynx Edicions, Barcelona. (Retrieved from <http://www.hbw.com/node/61884> on 10 September 2017)

Grimmett, R., Inskipp, C., & Inskipp, T., 2011. *Birds of the Indian Subcontinent*. 2nd ed. London: Oxford University Press & Christopher Helm. Pp. 1–528.

Praveen J., Jayapal, R., & Pittie, A., 2017a. Checklist of the birds of India (v1.3). Website URL: <http://www.indianbirds.in/india/> [Date of publication: 30 June 2017]

Praveen J., Jayapal, R., Inskipp, T., Warakagoda, D., Thompson, P. M., Anderson, R. C. & Pittie, A., 2017b. Birds of the Indian subcontinent: Species not recorded from India. *Indian BIRDS* 13 (4): 93–101.

Rasmussen, P. C., & Anderton, J. C., 2012. *Birds of South Asia: the Ripley guide*. 2nd ed. Washington, D.C. and Barcelona: Smithsonian Institution and Lynx Edicions. 2 vols. Pp. 1–378; 1–683.

Spierenburg, P., 2005. *Birds in Bhutan. Status and distribution*. 1st ed. Bedford, U.K.: Oriental Bird Club. Pp. 1–383.